

Bodet



HMT/HMS LED

Outdoor LED digital clocks

The HMT and HMS clocks are outdoor LED clocks which combine a modern look and many features.

TECHNICAL CHARACTERISTICS

- Black aluminium casing for outdoor use, single sided.
- Shockproof and antiglare polycarbonate protective glass.
- Sliding front glass for easy and secured opening.
- Operating temperature range: -25° to $+50^{\circ}$ C.
- High luminosity LED display.
- Automatic luminosity adjustment: night time, cloudy weather and sunny weather.
- Double sided display with 2 single sided + bracket.
- Adjustable frequency of the alternating display.
- Power supply: 110/230 V – maxi 150 W.
- Tropicalised electronics.
- Configuration and control by remote control.

LED COLOURS



HMT LED



HMT: Hour - Minute - Date - Temperature

- 5 display sizes: 10, 15, 20, 25 and 45 cm.



Local time




Date



Temperature



Day countdown



Fixed data



Humidity

AVAILABLE TIME DISTRIBUTION SYSTEMS



	HMT LED 10 cm	HMT LED 15 cm	HMT LED 20 cm	HMT LED 25 cm	HMT LED 45 cm	HMS LED 10 cm	HMS LED 15 cm	HMS LED 25 cm	HMS LED 45 cm
Display size	10 cm	15 cm	20 cm	25 cm	45 cm	10 cm	15 cm	25 cm	45 cm
Optimal viewing distance	40 m	60 m	90 m	120 m	200 m	40 m	60 m	120 m	200 m
Weight	3,7 kg	8,5 kg	8,5 kg	11 kg	21 kg	4,6 kg	6 kg	12 kg	24 kg

HMS LED



HMS: Hour - Minute - Second

- 4 display sizes : 10, 15, 25 and 45 cm.



Local time



Temperature



Timer/Stopwatch

The Bodet Group

WE GIVE YOU TIME



Campanaire

Bell renovation
Frontage dials
Bell electrification



Software

Time management
Access control
HRIS



Sport

Timing
Scoreboards
Video display



Time

Time distribution
Display signage
LED display
Audio system



www.bodet.co.uk

1 rue du Général de Gaulle | 49340 Trémentines | FRANCE
Email: export@bodet-timesport.com | Tel. +33 2 41 71 72 33

4 Sovereign Park - Cleveland Way | Hemel Hempstead - HP2 7DA | UNITED KINGDOM
Email: enquiries@bodet.co.uk | Tel. 01442 418800



Trémentines plant